Recurrence risk for germinal mosaics revisited *M A van der Meulen, M J P van der Meulen, G J te Meerman* 102
Contribution of molecular analyses to the estimation of the risk of congenital myotonic dystrophy *A M Cobo, J J Poza, L Martorell, A López de Munain, J I Emparanza, M Baiget* 105
Cholinesterase variants: rapid characterisation by PCR/SSCP and evidence for molecular homogeneity *T Höhler, M Hundt, C Rittner, P M Schneider, K-H Meyer zum Büschenfelde* 109
Molecular cytogenetic characterisation of a small ring X chromosome in a Turner patient and in a male patient with congenital abnormalities: role of X inactivation *D F Callen, H J Eyre, G Dolman, M B Garry-Battersby, J R McCreanor, A Valeba, J J McGill* 113

Syndrome of the month
Cowden syndrome *A M N Hanssen, J P Fryns* 117

Brief papers
DNA analysis of Huntington's disease in southern Chinese *V Chan, Y L Yu, T P T Chan, B Yip, C M Chang, M T H Wong, Y W Chan, T K Chan* 120
Pallister-Hall syndrome and McKusick-Kaufmann syndrome: one entity? *K M Unsinn, N Neu, A Krejci, A Posch, G Menardi, I Gassner* 125
Modification of standard proteinase K/phenol method for DNA isolation to improve yield and purity from frozen blood *N N Ahmad, A B Cu-Unjieng, L A Donoso* 129
A weak association between TH and DRD2 genes and bipolar affective disorder in a Spanish sample *I Pérez de Castro, J Santos, P Torres, G Visedo, J Saiz-Ruiz, C Llinares, J Fernández-Piqueras* 131

Abstracts
Abstracts of the British Medical Genetics Conference held in York on 12 to 14 September 1994 135
Medical genetics: advances in brief 156

Letters to the Editor
Two CF patients, one homozygous for the 621 + 1G>T splice mutation, the other homozygous for the 1898 + 1G>A splice mutation *J P Cheadle, A L Meredith, L Millar-Jones, M C Goodchild* 158

Book reviews 158

Notices 160

No 3 March 1995

Annotation
Genetic testing for cancer predisposition: need and demand *D G Evans* 161

Original articles
FRAXE and mental retardation *J C Mulley, S Yu, D Z Loesch, D A Hay, A Donnelly, A K Gedeon, P Carbonell, I López, G Glover, I Gabarrón, P W L Yu, E Baker, E A Haan, A Hockey, S J L Knight, K E Davies, R I Richards, G R Sutherland* 162
A rapid, non-radioactive screening test for fragile X mutations at the FRAXA and FRAXE loci *Q Wang, E Green, M Bobrow, C G Mathew* 170
Saethre-Chotzen syndrome associated with balanced translocations involving 7p21: three further families *A O M Wilkie, S P Yang, D Summers, M D Poole, W Reardon, R M Winter* 174
A clinical, cytogenetic, and molecular study of 40 adults with the Prader-Willi syndrome *T Webb, D Clarke, C A Hardy, M W Kilpatrick, J Corbett, M Dahlitz* 181
Heterogeneity in Li-Fraumeni families: p53 mutation analysis and immunohistochemical staining *C MacGeoch, G Turner, L G Bobrow, D M Barnes, D T Bishop, N K Spurr* 186
Male neonatal death and progressive weakness and immune deficiency in females: an unknown X linked condition *G Woods, G Black, G Norbury* 191
A gene for familial venous malformations maps to chromosome 9p in a second large kindred *C J Gallione, K A Pasyk, L M Boon, F Lennon, D W Johnson, E A Helmbold, D S Markel, M Vikkula, J B Mulliken, M L Warman, M A Pericak-Vance, D A Marchuk* 197
Absence of linkage between familial neural tube defects and PAX3 gene *S Chatkupt, F A Hol, Y Y Shugart, M P A Geurds, E S Stenroos, M R Koenigsberger, B C J Hamel, W G Johnson, E C M Mariman* 200
Further evidence for an intermittent pattern of neural tube closure in humans *M J Seller* 205
Haplotype analysis in autosomal dominant polycystic kidney disease *S E Pound, S Thomas, A Snarey, A M Macnicol, M L Watson, P M Pignatelli, A-M Frischauf, P C Harris, A F Wright* 208

Syndrome of the month
Menkes disease *A Bankier* 213

Brief papers
Neonatal spinal muscular atrophy with diaphragmatic paralysis is unlinked to 5q11.2-q13 *G Novelli, F Capon, L Tamisari, E Grandi, C Angelini, P Guerrini, B Dallapiccola* 216
A mutation causing DHPR deficiency results in a frameshift and a secondary splicing defect *P M Smooker, J Christodoulou, R R McInnes, R G H Cotton* 220

Genetic refinement of the chromosome 5q lattice corneal dystrophy type I locus to within a 2 cM interval *C Y Gregory, K Evans, S S Bhattacharya* 224
Kabuki syndrome-like features in monozygotic twin boys with a pseudodicentric chromosome 13 *S A Lynch, K A Ashcroft, S Zwolinski, C Clarke, J Burn* 227
Assignment of microsatellite sequences to the region duplicated in CMT1A (17p12): a useful tool for diagnosis *C Cudrey, C Chevillard, D Le Paslier, A Vignal, E Passage, M Fontes* 231
Renal tubular leakage complicating microcephalic osteodysplastic primordial dwarfism *J Eason, C M Hall, J Q Trounce* 234
Unusual $(CGG)_n$ expansion and recombination in a family with fragile X and DiGeorge syndrome *J N Macpherson, G Curtis, J A Crolla, N Dennis, B Migeon, P K Grewal, M C Hirst, K E Davies, P A Jacobs* 236
Linkage refinement localises Sorsby fundus dystrophy between markers D22S275 and D22S278 *C Y Gregory, S Wijesuriya, K Evans, M Jay, A C Bird, S S Bhattacharya* 240
Familial schizencephaly: further delineation of a rare disorder *F Haverkamp, K Zerres, B Ostertun, D Emons, M J Lentze* 242

Letters to the Editor
Thalassaemia in Azerbaijan *D Gaziev* 245
Blepharophimosis-mental retardation syndrome and terminal deletion of chromosome 3p *A Moncla, N Philip, J F Mattei* 245

Book reviews 246

No 4 April 1995

Editorial
Direct marketing of cystic fibrosis carrier screening: commercial push or population need? *P S Harper* 249

Review article
Leukaemia and Sellafield: is there a heritable link? *E J Tawn* 251

Original articles
A new X linked recessive deafness syndrome with blindness, dystonia, fractures, and mental deficiency is linked to Xq22 *L Tranebjærg, C Schwartz, H Eriksen, S Andreasson, V Ponjavic, A Dahl, R E Stevenson, M May, F Arena, D Barker, H H Elverland, H Lubs* 257
Alagille syndrome: family studies *F V Elmslie, A J Vivian, H Gardiner, C Hall, A P Mowat, R M Winter* 264
Association study with two markers of a human homeogene in infantile autism *E Petit, J Hérault, J Martineau, A Perrot, C Barthélémy, L Hameury, D Sauvage, G Lelord, J P Müh* 269
Detecting deletions in the critical region for lissencephaly on 17p13.3 using fluorescent in situ hybridisation and a PCR assay identifying a dinucleotide repeat polymorphism *D T Pilz, A Dalton, A Long, T Jaspan, E L Maltby, O W J Quarrell* 275
A new transthyretin variant (Ser 24) associated with familial amyloid polyneuropathy *T Uemichi, M A Gertz, M D Benson* 279
Stepwise or couple antenatal carrier screening for cystic fibrosis?: women's preferences and willingness to pay *Z Miedzybrodzka, J Semper, P Shackley, M Abdalla, C Donaldson* 282

Syndrome of the month
Perinatal lethal osteogenesis imperfecta *W G Cole, R Dalgleish* 284

Brief papers
Superoxide dismutase mutations in an unselected cohort of Scottish amyotrophic lateral sclerosis patients *C T Jones, R J Swingler, S A Simpson, D J H Brock* 290
De novo 1;10 balanced translocation in an infant with thanatophoric dysplasia: a clue to the locus of the candidate gene *J H Hersh, F F Yen, S C Peiper, M J Barch, O A Yacoub, D H Voss, J L Roberts* 293
Inversions in the factor VIII gene: improvement of carrier detection and prenatal diagnosis in Dutch haemophilia A families *P P Deutz-Terlouw, M Losekoot, R Olmer, W C Pieneman, S de Vries-v d Weerd, E Briët, E Bakker* 296
Severe intrauterine growth retardation with increased mitomycin C sensitivity: a further chromosome breakage syndrome *C G Woods, M Leversha, J G Rogers* 301
Partial trisomy 22 (q11.2–q13.1) as a result of duplication and pericentric inversion *V P Prasher, E Roberts, A Norman, A C Butler, V H R Krishnan, D J McMullan* 306
Congenital knee dislocation in a 49,XXXXY boy *R H Sijmons, A J van Essen, J D Visser, M Iprenburg, G F Nelck, M L Vos-Bender, B de Jong* 309
Exclusion of RET and Pax 3 loci in Waardenburg-Hirschsprung disease *T Attié, M Till, A Pelet, P Edery, J-P Bonnet, A Munnich, S Lyonnet* 312
MURCS in a male? *D G Wellesley, S F Slaney* 314
Encephalocraniocutaneous lipomatosis with a mutation in the NF1 gene *E Legius, R Wu, M Eyssen, P Marynen, J P Fryns, J J Cassiman* 316

Conference report
International workshop on molecular genetics of haemochromatosis, held at Villa Feltrinelli, Gargnano (Bs), Italy, 25 September 1994 *M Worwood, P Gasparini, C Camaschella* 320

Abstracts
Medical genetics: advances in brief 324

Letters to the Editor
Huntington's disease in Saudi Arabia *S Bohlega, D McLean, S Omer, Z Al Kawi, R A C Roos, M Losekoot, E Bakker* 325
Different muscle specific promoter characteristics in two sibs with Duchenne muscular dystrophy *T Kondoh, S Fujishita, N Shibuya, T Matsumoto* 325
Autosomal dominant simple microphthalmos: incomplete penetrance and variable expression in a large family *J-P Fryns* 326
Grebe syndrome: a very severely affected case *M L Kulkarni, B Kumar, A Nasser, B M Kulkarni* 326

Book reviews 327

Notices 328

No 5 May 1995

Editorial
Editorial postscript: 10 years of change and evolution *P S Harper* 329

Original articles
Familial pancreatic adenocarcinoma: association with diabetes and early molecular diagnosis *J P Evans, W Burke, R Chen, R L Bennett, R A Schmidt, E P Dellinger, M Kimmey, D Crispin, T A Brentnall, D R Byrd* 330
Congenital non-syndromal autosomal recessive deafness in Bengkala, an isolated Balinese village *S Winata, I N Arhya, S Moeljopawiro, J T Hinnant, Y Liang, T B Friedman, J H Asher Jr* 336
Hereditary myopathy with lactic acidosis, succinate dehydrogenase and aconitase deficiency in northern Sweden: a genealogical study *U Drugge, M Holmberg, G Holmgren, B Almay, H Linderholm* 344
Duchenne muscular dystrophy: negative electroretinograms and normal dark adaptation. Reappraisal of assignment of X linked incomplete congenital stationary night blindness *H Jensen, M Warburg, O Sjö, M Schwartz* 348
Genetic linkage analysis in hereditary non-polyposis colon cancer syndrome *N J Froggatt, J Koch, R Davies, D G R Evans, A Clamp, O W J Quarrell, J Weissenbach, S V Hodgson, B A J Ponder, D E Barton, E R Maher* 352
Cognitive performance in UK sample of presymptomatic people carrying the gene for Huntington's disease *L Blackmore, S A Simpson, J R Crawford* 358
Association between high serum total IgE levels and D11S97 on chromosome 11q13 in Japanese subjects *N Hizawa, E Yamaguchi, K Furuya, N Ohnuma, N Kodama, J Kojima, M Ohe, Y Kawakami* 363

Syndrome of the month
Craniometaphyseal dysplasia (CMD), autosomal dominant form *P Beighton* 370

Brief papers
Bilateral split hand/foot malformation and inv(7)(p22q21.3) *J M Cobben, J B G M Verheij, W H Eisma, P H Robinson, R P Zwierstra, B Leegte, S Castedo* 375
Screening for mutations in exon 4 of the LDL receptor gene: identification of a new deletion mutation *L Theart, M J Kotze, E Langenhoven, O Loubser, A V Peeters, C J Lintott, R S Scott* 379
X linked fatal infantile cardiomyopathy maps to Xq28 and is possibly allelic to Barth syndrome *A K Gedeon, M J Wilson, A C Colley, D O Sillence, J C Mulley* 383
Linkage analysis of a large pedigree with hereditary sideroblastic anaemia *J S Noble, G R Taylor, M S Losowsky, R Hall, G Turner, R F Mueller, A D Stewart* 389
Phenotypic variability in patients with generalised resistance to thyroid hormone *J Pohlenz, S Wirth, A Winterpacht, H Wemme, B Zabel, W Schönberger* 393
Oguchi disease: suggestion of linkage to markers on chromosome 2q *M A Maw, S John, S Jablonka, B Müller, G Kumaramanickavel, R Oehlmann, M J Denton, A Gal* 396

Short reports
Sequence analysis of the CCG polymorphic region adjacent to the CAG triplet repeat of the HD gene in normal and HD chromosomes *C Pêcheux, J-F Mouret, A Dürr, Y Agid, J Feingold, A Brice, C Dodé, J-C Kaplan* 399
A family study describing second cousins with cystic fibrosis and no common ancestor who is a carrier *V M Park, M E Smith, M T Knight, M J Rock* 401

Abstracts
Medical genetics: advances in brief 403

Letters to the Editor
A comparison of the Huntington's disease associated trinucleotide repeat between Chinese and white populations *B-W Soong, J-T Wang* 404

Rare variants of chromosome 9 with extra G positive band within the qh region are not alike
R A Conte, S Gupta, J P Brennan, R S Verma 405
Mild cystic fibrosis phenotype in patients with the 3272-26A>G mutation *E Kanavakis, M Tzetis, T Antoniadi, J Trager-Synodinos, C Kattamis, S Doudounakis, G Adam* 406

Book reviews 408

No 6 June 1995

Editorial
Redrafted Chinese law remains eugenic *M Bobrow* 409
Biographical note: Professor Martin Bobrow 410

Review article
Nuclear and mitochondrial genetics in Parkinson's disease *A H V Schapira* 411

Original articles
A clinical and genetic study of campomelic dysplasia *S Mansour, C M Hall, M E Pembrey, I D Young* 415
A large Turkish kindred with syndactyly type II (synpolydactyly). 1 Field investigation, clinical and pedigree data *B S Sayli, A N Akarsu, U Sayli, O Akhan, S Ceylaner, M Sarfarazi* 421
A large Turkish kindred with syndactyly type II (synpolydactyly). 2 Homozygous phenotype? *A N Akarsu, O Akhan, B S Sayli, U Sayli, C Baskaya, M Sarfarazi* 435
DNA microsatellite analysis of families with autosomal dominant polycystic kidney disease types 1 and 2: evaluation of clinical heterogeneity between both forms of the disease *E Coto, S Sanz de Castro, S Aguado, J Alvarez, M Arias, M J Menéndez, C López-Larrea* 442
Allelic associations and homozygosity at loci from HLA-B to D6S299 in genetic haemochromatosis *R Raha-Chowdhury, D J Bowen, A K Burnett, M Worwood* 446
Epidemiology and genetics of microtia-anotia: a registry based study on over one million births *P Mastroiacovo, C Corchia, L D Botto, R Lanni, G Zampino, D Fusco* 453
The dental phenotype in familial adenomatous polyposis: diagnostic application of a weighted scoring system for changes on dental panoramic radiographs *N Thakker, R Davies, K Horner, J Armstrong, T Clancy, S Guy, R Harris, P Sloan, G Evans* 458
Neuroectodermal (CHIME) syndrome: an additional case with long term follow up of all reported cases *V Shashi, J Zunich, T E Kelly, J S Fryburg* 465
Diagnostic issues in a family with late onset type 2 neurofibromatosis *D G R Evans, D Bourn, A Wallace, R T Ramsden, J D Mitchell, T Strachan* 470

Brief papers
Identification of RB1 germline mutations in Argentinian families with sporadic bilateral retinoblastoma *I Szijan, D R Lohmann, D L Parma, B Brandt, B Horsthemke* 475
H714Q mutation in Wilson disease is associated with late, neurological presentation *R H J Houwen, J Juyn, T U Hoogenraad, J K Ploos van Amstel, R Berger* 480
Inheritance of CMT1A duplication from a mosaic father *E Sorour, P Thompson, J MacMillan, M Upadhyaya* 483
Good growth response to growth hormone treatment in the ring chromosome 15 syndrome *M Nuutinen, K Kouvalainen, M Knip* 486

Short report
A new PAX6 mutation in familial aniridia *I Hanson, A Brown, V van Heyningen* 488

Letters to the Editor
GIG response to the UK Clinical Genetics Society report "The genetic testing of children" *S Dalby* 490
The genetic testing of children *A Clarke* 492
Possible genetic heterogeneity in hypochrondroplasia *I Stoilov, M W Kilpatrick, P Tsipouras, T Costa* 492
UPD 13: no indication of maternal or paternal imprinting of genes on chromosome 13 *H Slater, J H Shaw, A Bankier, S M Forrest, G Dawson* 493
A family with autosomal dominant polycystic kidney disease linked to 4q21-23 *S Jeffery, S Morgan, V J Warmington, G A MacGregor, A K Saggar-Malik* 493

Book reviews 495

No 7 July 1995

Review article
HLA-B27 and spondyloarthropathy: value for early diagnosis? *J T Gran, G Husby* 497

Original articles
FISH analysis on spontaneously arising micronuclei in the ICF syndrome *M Stacey, M S Bennett, M Hulten* 502
Utilities for high throughput use of the single strand conformational polymorphism method: screening of 791 patients with familial hypercholesterolaemia for mutations in exon 3 of the low density lipoprotein receptor gene *R Whittall, V Gudnason, G P Weavind, L B Day, S E Humphries, I N M Day* 509

Emotional and functional impact of DNA testing on patients with symptoms of Huntington's disease *J Jankovic, J Beach, T Ashizawa* 516
Ascertainment of myotonic dystrophy through cataract by selective screening *A Kidd, P Turnpenny, K Kelly, C Clark, W Church, C Hutchinson, J C S Dean, N E Haites* 519
The epidemiology of Huntington's disease in Northern Ireland *P J Morrison, W P Johnston, N C Nevin* 524
Chromosome 13q deletion with Waardenburg syndrome: further evidence for a gene involved in neural crest function on 13q *G Van Camp, M N Van Thienen, I Handig, B Van Roy, V S Rao, A Milunsky, A P Read, C T Baldwin, L A Farrer, M Bonduelle, L Standaert, F Meire, P J Willems* 531
The impact of newborn screening on cystic fibrosis testing in Victoria, Australia *M E Balnaves, L Bonacquisto, I Francis, J Glazner, S Forrest* 537
Population differences in the frequency of the factor V Leiden variant among people with clinically symptomatic protein C deficiency *P J Hallam, D S Millar, M Krawczak, V V Kakkar, D N Cooper* 543
Confirmation of genetic heterogeneity in familial psoriasis *D Matthews, L Fry, A Powles, J Weissenbach, R Williamson* 546

Brief papers
Mutations in L1-CAM in two families with X linked complicated spastic paraplegia, MASA syndrome, and HSAS *J C Ruiz, H Cuppens, E Legius, J-P Fryns, T Glover, P Marynen, J-J Cassiman* 549
Identification of constitutively activating mutation of the luteinising hormone receptor in a family with male limited gonadotrophin independent precocious puberty (testotoxicosis) *N Kawate, G B Kletter, B E Wilson, M L Netzloff, K M J Menon* 553
Right upper limb bud triplication and polythelia, left sided hemihypertrophy and congenital hip dislocation, facial dysmorphism, congenital heart disease, and scoliosis: Disorganisation-like spectrum or patterning gene defect? *M A Sabry, Q Al-Saleh, R Al-Saw'an, S A Al-Awadi, T I Farag* 555
A fetus with an X;1 balanced reciprocal translocation and eye disease *M J Seller, K Pal, S Horsley, A F Davies, A C Berry, R Meredith, A C E McCartney* 557
Cerebellar atrophy in a patient with velocardiofacial syndrome *D R Lynch, D M McDonald-McGinn, E H Zackai, B S Emanuel, D A Driscoll, L A Whitaker, K H Fischbeck* 561
Molecular analysis of three patients with interstitial deletions of chromosome band 14q31 *B C Byth, M T Costa, I E Teshima, W G Wilson, N P Carter, D W Cox* 564
Rapid detection of rare variants and common polymorphisms in the APC gene by PCR-SSCP for presymptomatic diagnosis and showing allele loss *S A Gayther, R Sud, D Wells, K Tsioupra, J D A Delhanty* 568
Chromosomal localisation of a Y specific growth gene(s) *T Ogata, K Tomita, A Hida, N Matsuo, Y Nakahori, Y Nakagome* 572

Abstracts
Medical genetics: advances in brief 576

Letters to the Editor
High incidence of Δ1507 mutation of the CFTR gene in a limited area of the north west of France *H Mittre, P Leymarie, N Leporrier* 577
Allele distribution of a highly polymorphic repeat on chromosome 12 in patients with symptoms of chorea and ataxia *C Zühlke, O Knobloch, S Wagner, R Hilgers* 577
Detection of Y mosaicism in patients with Turner's syndrome *C E Chu, J M Connor, M D C Donaldson, C J H Kelnar, P J Smail, S A Greene* 578

Book reviews 581

Notice to contributors 584

No 8 August 1995

Original articles
The association of combined α and β fibrinogen genotype on plasma fibrinogen levels in smokers and non-smokers *A E Thomas, F R Green, H Lamlum, S E Humphries* 585
Spinocerebellar ataxia 1 (SCA1) in the Japanese in Hokkaido may derive from a single common ancestry *A Wakisaka, H Sasaki, A Takada, T Fukazawa, Y Suzuki, T Hamada, K Iwabuchi, K Tashiro, T Yoshiki* 590
Comparison of CTG repeat length expansion and clinical progression of myotonic dystrophy over a five year period *L Martorell, J M Martinez, N Carey, K Johnson, M Baiget* 593
Attitudes towards Down's syndrome: follow up of a cohort of 280 cases *C Julian-Reynier, Y Aurran, A Dumaret, A Maron, F Chabal, F Giraud, S Aymé* 597
Neuropsychological characteristics of Huntington's disease carriers: a double blind study *N K Rosenberg, S A Sørensen, A-L Christensen* 600
Stringent delineation of Pallister-Hall syndrome in two long surviving patients: importance of radiological anomalies of the hands *A Verloes, A David, L Ngô, A Bottani* 605
Velocardiofacial syndrome: learning difficulties and intervention *L L Kok, R T Solman* 612
Chromosome 1p terminal deletion: report of new findings and confirmation of two characteristic phenotypes *K M Keppler-Noreuil, A J Carroll, W H Finley, S L Rutledge* 619

Consanguinity among the Saudi Arabian population *M A F El-Hazmi, A R Al-Swailem, A S Warsy, A M Al-Swailem, R Sulaimani, A A Al-Meshari* 623
Congenital anomalies and genetic disorders in families of children with central nervous system tumours *S M Jones, P C Phillips, P T Molloy, B J Lange, M N Needle, J A Biegel* 627

Brief papers
Congenital heart disease in spondylothoracic dysostosis: two familial cases *J M Simpson, A Cook, N L K Fagg, N A MacLachlan, G K Sharland* 633
Developmental delay and dysmorphic features associated with a previously undescribed deletion on chromosome 1 *J S Barton, J O'Loughlin, R T Howell, R L'e Orme* 636
Anonychia and absence/hypoplasia of distal phalanges (Cooks syndrome): report of a second family *N C Nevin, P S Thomas, D J Eedy, C Shepherd* 638
Apolipoprotein E ε4 allele is a risk factor for familial and sporadic presenile Alzheimer's disease in both homozygote and heterozygote carriers *D St Clair, M Rennie, E Slorach, J Norrman, C Yates, A Carothers* 642
Direct molecular analysis of myotonic dystrophy in the German population: important considerations in genetic counselling *A Meiner, C Wolf, N Carey, A Okitsu, K Johnson, P Shelbourne, B Kunath, W Sauermann, H Thiele, P Kupferling, E Kunert* 645
Double non-disjunction in maternal meiosis II giving rise to a fetus with 48,XXX,+21 *V M Park, R R Bravo, L P Shulman* 650

Short reports
Point mutation of the mitochondrial $tRNA^{Leu}$ gene (A 3243 G) in maternally inherited hypertrophic cardiomyopathy, diabetes mellitus, renal failure, and sensorineural deafness *S Manouvrier, A Rötig, G Hannebique, J-D Gheerbrandt, G Royer-Legrain, A Munnich, M Parent, J-P Grünfeld, C Largilliere, A Lombes, J-P Bonnefont* 654
Recurrence of DiGeorge syndrome: prenatal detection by FISH of a molecular 22q11 deletion *J O Van Hemel, C Schaap, D Van Opstal, M P Mulder, M F Niermeijer, J H C Meijers* 657
Filippi syndrome: a new case with skeletal abnormalities *D Héron, T Billette de Villemeur, A Munnich, S Lyonnet* 659

Conference report
Report on MDA Workshop on Myotonic Dystrophy, 10 October 1994, Montreal, Quebec, Canada *K J Johnson, M J Siciliano* 662

Abstracts
Medical genetics: advances in brief 666

Letters to the Editor
Anophthalmia with cleft palate and micrognathia: a new syndrome or an unusual presentation of Rubinstein-Taybi syndrome? *J-P Fryns* 668
Pallister-Hall and McKusick-Kaufmann syndromes *I W Lurie* 668
Idiopathic hypoparathyroidism in two patients with 22q11 microdeletion *Y Makita, M Masuno, K Imaizumi, K Tachibana, Y Kuroki, H Kurahashi* 669
Prototype sequence clues within the Fanconi anaemia group C gene *W Liebetrau, M Bühner, H Hoehn* 669
The COX8 gene is not the disease gene of the CMH4 locus in familial hypertrophic cardiomyopathy *G Bonne, L Carrier, K Schwartz, M Komajda* 670

Book reviews 671

Notice 672

No 9 September 1995

Review article
The myotubular myopathies: differential diagnosis of the X linked recessive, autosomal dominant, and autosomal recessive forms and present state of DNA studies *C Wallgren-Pettersson, A Clarke, F Samson, M Fardeau, V Dubowitz, H Moser, T Grimm, R J Barohn, P G Barth* 673

Original articles
The molecular basis of ornithine transcarbamylase deficiency: modelling the human enzyme and the effects of mutations *M Tuchman, H Morizono, O Reish, X Yuan, N M Allewell* 680
Influence of the sex of the transmitting grandparent in congenital myotonic dystrophy *A López de Munain, A M Cobo, J J Poza, D Navarrete, L Martorell, F Palau, J I Emparanza, M Baiget* 689
Detection of hemizygosity at the elastin locus by FISH analysis as a diagnostic test in both classical and atypical cases of Williams syndrome *I Borg, J D A Delhanty, M Baraitser* 692
Absence of mutations in the promoter of the COL1A1 gene of type I collagen in patients with osteogenesis imperfecta type I *M C Willing, R L Slayton, S H Pitts, S P Deschenes* 697
Analysis of triplet repeats in the huntingtin gene in Japanese families affected with Huntington's disease *N Masuda, J Goto, N Murayama, M Watanabe, I Kondo, I Kanazawa* 701
Characterisation of germline mutations in the neurofibromatosis type 1 (NF1) gene *M Upadhyaya, J Maynard, M Osborn, S M Huson, M Ponder, B A J Ponder, P S Harper* 706

Clinical features of nine males with molecularly defined deletions of the Y chromosome long arm
P Salo, J Ignatius, K O J Simola, E Tahvanainen, H Kääriäinen 711
Twenty-four cases of the EEC syndrome: clinical presentation and management *P W Buss, H E Hughes, A Clarke* 716

Syndrome of the month
Fetal valproate syndrome *J Clayton-Smith, D Donnai* 724

Brief papers
Genotype-phenotype correlations of new causative APC gene mutations in patients with familial adenomatous polyposis *D J Bunyan, J Shea-Simonds, A C Reck, D Finnis, D M Eccles* 728
Mitochondrial DNA does not appear to influence the congenital onset type of myotonic dystrophy *J Poulton, H G Harley, J Dasmahapatra, G K Brown, C G Potter, B Sykes* 732
Refinement of the localisation of the X linked keratosis follicularis spinulosa decalvans (KFSD) gene in Xp22.13-p22.2 *J C Oosterwijk, M J R van der Wielen, E van de Vosse, E Voorhoeve, E Bakker* 736
Unusual expression of Gaucher's disease: cardiovascular calcifications in three sibs homozygous for the D409H mutation *A Chabás, B Cormand, D Grinberg, J M Burguera, S Balcells, J L Merino, I Mate, J A Sobrino, R Gonzàlez-Duarte, L Vilageliu* 740
Vaginal rhabdomyosarcoma in a patient with Noonan syndrome *S Khan, H McDowell, M Upadhyaya, A Fryer* 743
Monozygotic twins with chromosome 22q11 deletion and discordant phenotype *J Goodship, I Cross, P Scambler, J Burn* 746

Short report
Use of type VII collagen gene (COL7A1) markers in prenatal diagnosis of recessive dystrophic epidermolysis bullosa *M G S Dunnill, C H Rodeck, A J Richards, D Atherton, B D Lake, M Petrou, R A J Eady, F M Pope* 749

Conference report
Research in canine and human genetic disease *D R Sargan* 751

Abstracts
Medical genetics: advances in brief 755

Letters to the Editor
Prenatal diagnosis of X linked lymphoproliferative disease using multiplex polymerase chain reaction *V Schuster, S Seidenspinner, H W Kreth* 756
A variant of Wiskott-Aldrich syndrome with nephropathy is linked to DXS255 *C P Bennett, A J Barnicoat, F Cotter, Q Wang, C G Mathew* 757
Direct marketing of cystic fibrosis carrier screening: commercial push or population need? *H Cuckle, R Lilford, J Wilson, I Sehmi* 758

Book reviews 759

Notice 760

No 10 October 1995

Review article
FMR1 triplet arrays: paying the price for perfection *M C Hirst* 761

Original articles
General overgrowth in the fragile X syndrome: variability in the phenotypic expression of the FMR1 gene mutation *L B A de Vries, H Robinson, I Stolte-Dijkstra, C V Tjon Pian Gi, P F Dijkstra, J van Doorn, D J J Halley, B A Oostra, G Turner, M F Niermeijer* 764
Exclusion mapping of chromosomal regions which cross hybridise to FSHD1A associated markers in FSHD1B *J R Gilbert, M C Speer, J Stajich, R Clancy, K Lewis, H Qiu, L Yamaoka, A Kumar, J Vance, C Stewart, M Rozear, A D Roses, M A Pericak-Vance* 770
Linkage analysis in blepharophimosis-ptosis syndrome confirms localisation to 3q21–24 *H S Harrar, S Jeffery, M A Patton* 774
Bilateral cataract and high serum ferritin: a new dominant genetic disorder? *D Bonneau, I Winter-Fuseau, M-N Loiseau, P Amati, M Berthier, D Oriot, C Beaumont* 778
Current issues of personnel and laboratory practices in genetic testing *H F L Mark, T Kelly, M S Watson, G Hoeltge, W A Miller, L Beauregard* 780
Metachromatic leucodystrophy (MLD) in a patient with a constitutional ring chromosome 22 *M B Coulter-Mackie, J Rip, M D Ludman, J Beis, D E C Cole* 787
Familial partial trisomy 8p without dysmorphic features and only mild mental retardation *J J M Engelen, C E M de Die-Smulders, J M J Sijstermans, L E C Meers, J C M Albrechts, A J H Hamers* 792
Public attitudes towards the selection of desirable characteristics in children *T Marteau, S Michie, H Drake, M Bobrow* 796
Adolescents' opinions about genetic risk information, prenatal diagnosis, and pregnancy termination *M Decruyenaere, G Evers-Kiebooms, M Welkenhuysen, J Bande-Knops, V Van Gerven, H Van den Berghe* 799
Comment *J M Green* 805

Syndrome of the month
Treacher Collins syndrome *M J Dixon* 806

Brief papers
A new autosomal recessive syndrome of characteristic facies, joint contractures, skeletal abnormalities, and normal development: second report with further clinical delineation *A Gupta, C M Hall, Y F Ransley, V A Murday* 809
An unusual pedigree with microcornea-cataract syndrome *E Stefaniak, J Zaremba, I Ciéslińska, E Kropińska* 813
Otofaciocervical syndrome: a sporadic patient supports splitting from the branchio-oto-renal syndrome *B Dallapiccola, R Mingarelli* 816
Identification of an unbalanced cryptic translocation t(9;17)(q34.3;p13.3) in a child with dysmorphic features *A M Estop, P A Mowery-Rushton, K M Cieply, S J Kochmar, C R Sherer, M Clemens, U Surti, E McPherson* 819
WAGR syndrome and multiple exostoses in a patient with del(11)(p11.2p14.2) *J M McGaughran, H B Ward, D G R Evans* 823
Duplication 2(q11.2-q21): a previously unreported abnormality *L B Cooke, H Richards, P W Lunt, L Burvill-Holmes, R T Howell, A McDermott* 825
Characterisation of the unstable expanded CAG repeat in the MJD1 gene in four Brazilian families of Portuguese descent with Machado-Joseph disease *G Stevanin, E Cassa, G Cancel, N Abbas, A Dürr, E Jardim, Y Agid, P S Sousa, A Brice* 827

Short report
Short stature in a girl with partial monosomy of the pseudoautosomal region distal to DXYS15: further evidence for the assignment of the critical region for a pseudoautosomal growth gene(s) *T Ogata, A Yoshizawa, K Muroya, N Matsuo, Y Fukushima, G Rappold, S Yokoya* 831

Abstracts
Medical genetics: advances in brief 835

Letters to the Editor
Reply to the commentary on Decruyenaere *et al* "Adolescents' opinions about genetic risk information, prenatal diagnosis, and pregnancy termination" *G Evers-Kiebooms, M Decruyenaere, M Welkenhuysen* 836
Glycogen storage disease type II: frequency of three common mutant alleles and their associated clinical phenotypes studied in 121 patients *M A Kroos, M Van der Kraan, O P Van Diggelen, W J Kleijer, A J J Reuser, M J Van den Boogaard, M G E M Ausems, H K Ploos van Amstel, L Poenaru, M Nicolino, R Wevers* 836
Partial trisomy 3q and the mild Cornelia de Lange syndrome phenotype *M Ireland, C English, I Cross, S Lindsay, T Strachan* 837
Response to GIG's response to the UK Clinical Genetics Society report "The genetic testing of children" *S Michie, T M Marteau* 838
Reply *S Dalby* 838

Book reviews 839

Notice to contributors 840

No 11 November 1995

Review article
Familial amyotrophic lateral sclerosis/motor neurone disease (FALS): a review of current developments *J de Belleroche, R Orrell, A King* 841

Original articles
Multifocal renal cell carcinoma in sibs from a chromosome 9 linked (TSC1) tuberous sclerosis family *J R Sampson, A Patel, A D Mee* 848
Evaluation of candidate genes for familial brachydactyly *J M Mastrobattista, P Dollé, S H Blanton, H Northrup* 851
Evidence for genetic heterogeneity in Best's vitelliform macular dystrophy *F C Mansergh, P F Kenna, G Rudolph, T Meitinger, G J Farrar, R Kumar-Singh, J Scorer, A M Hally, L Mynett-Johnson, M M Humphries, S Kiang, P Humphries* 855
Oculocutaneous albinism among schoolchildren in Harare, Zimbabwe *F Kagore, P M Lund* 859
Identification of women at high genetic risk of breast cancer through the National Health Service Breast Screening Programme (NHSBSP) *D de Silva, F Gilbert, G Needham, H Deans, P Turnpenny, N Haites* 862
Discordant phenylketonuria phenotypes in one family: the relationship between genotype and clinical outcome is a function of multiple effects *L A Tyfield, J Zschocke, A Stephenson, F Cockburn, A Harvie, J L Bidwell, N A P Wood, L P Hunt* 867
Prenatal and postnatal growth failure associated with maternal heterodisomy for chromosome 7 *S Langlois, S L Yong, R D Wilson, L C Kwong, D K Kalousek* 871

Exclusion of a primary gene defect at the HLA locus in familial idiopathic dilated cardiomyopathy
T M Olson, S N Thibodeau, P A Lundquist, D J Schaid, V V Michels 876

Syndrome of the month
The Aicardi-Goutières syndrome (familial, early onset encephalopathy with calcifications of the basal ganglia and chronic cerebrospinal fluid lymphocytosis) *J L Tolmie, P Shillito, R Hughes-Benzie, J B P Stephenson* 881

Brief papers
Molecular genetic diagnosis of von Hippel-Lindau disease in familial phaeochromocytoma
P A Crossey, C Eng, M Ginalska-Malinowska, T W J Lennard, D C Wheeler, B A J Ponder, E R Maher 885
Gonadal mosaicism for incontinentia pigmenti in a healthy male *T T T Kirchman, M L Levy, R A Lewis, M H Kanzler, D L Nelson, A E Scheuerle* 887
A familial Xp+ chromosome, dup(Xq26.3→qter) *A I Vasquez, H Rivera, L Bobadilla, J A Crolla* 891
Shwachman syndrome associated with de novo reciprocal translocation t(6;12) (q16.2;q21.2)
M Masuno, K Imaizumi, G Nishimura, M Nakamura, I Saito, K Akagi, Y Kuroki 894
Absence/hypoplasia of tibia, polydactyly, retrocerebellar arachnoid cyst, and other anomalies: an autosomal recessive disorder *L B Holmes, R W Redline, D L Brown, A J Williams, T Collins* 896
Pfeiffer type cardiocranial syndrome: a third case report *L Williamson-Kruse, L G Biesecker* 901

Short reports
Evidence for exclusion of a mutation in NRAMP as the cause of familial disseminated atypical mycobacterial infection in a Maltese kindred *M Newport, M Levin, J Blackwell, M-A Shaw, R Williamson, C Huxley* 904
Instability of the CGG repeat at the FRAXA locus and variable phenotypic expression in a large fragile X pedigree *E Pintado, Y De Diego, A Hmadcha, M Carrasco, J Sierra, M Lucas* 907
Detection of new mutations in six out of 10 Swiss HNPCC families by genomic sequencing of the hMSH2 and hMLH1 genes *J-M Buerstedde, P Alday, J Torhorst, W Weber, H Müller, R Scott* 909
Exclusion of defects in the skeletal muscle specific regions of the DHPR α_1 subunit as frequent causes of malignant hyperthermia *R O'Brien, N L Taske, P M Hansbro, K Matthaei, S P Hogan, M A Denborough, P S Foster* 913
Autosomal dominant retinitis pigmentosa locus on chromosome 19q in a Japanese family *S Xu, M Nakazawa, M Tamai, A Gal* 915

Abstracts
Medical genetics: advances in brief 917

Letters to the Editor
Severe cystic fibrosis phenotype in a ΔF508/3272-26→AG compound heterozygote *T Bienvenu, C Beldjord, J-C Kaplan, D Hubert, D Dusser* 919
MURCS in a male *J Zlotogora* 919

Book reviews 919

Notices 920

No 12 December 1995

Review article
Psychological aspects of von Recklinghausen neurofibromatosis *S E Mouridsen, S A Sørensen* 921

Original articles
X inactivation of the FMR1 fragile X mental retardation gene *C U Kirchgessner, S T Warren, H F Willard* 925
Estimate of severe autosomal recessive limb-girdle muscular dystrophy (LGMD2C, LGMD2D) among sporadic muscular dystrophy males: a study of 415 families *I Stec, W Kress, G Meng, B Müller, C R Müller, T Grimm* 930
Mutations in the RET proto-oncogene and the von Hippel-Lindau disease tumour suppressor gene in sporadic and syndromic phaeochromocytomas *C Eng, P A Crossey, L M Mulligan, C S Healey, C Houghton, A Prowse, S L Chew, P L M Dahia, J L H O'Riordan, S P A Toledo, D P Smith, E R Maher, B A J Ponder* 934
Detection of germline mutations in the von Hippel-Lindau disease gene by the primer specified restriction map modification method *T Kishida, F Chen, M I Lerman, B Zbar* 938
An extended Li-Fraumeni kindred with gastric carcinoma and a codon 175 mutation in TP53
J M Varley, G McGown, M Thorncroft, K J Tricker, M D Teare, M F Santibanez-Koref, R S Houlston, J Martin, J M Birch, D G R Evans 942
Ophthalmic genetics: a genealogical guide to sources in England and Wales *M Jay* 946
No evidence of genetic heterogeneity in dominant optic atrophy *D Bonneau, E Souied, S Gerber, J-M Rozet, E D'Haens, H Journel, G Plessis, J Weissenbach, A Munnich, J Kaplan* 951
Cluster headache is an autosomal dominantly inherited disorder in some families: a complex segregation analysis *M B Russell, P G Andersson, L L Thomsen, L Iselius* 954
Kallmann syndrome in a boy with a t(1;10) translocation detected by reverse chromosome painting *A Schinzel, I Lorda-Sanchez, F Binkert, N P Carter, C E Bebb, M A Ferguson-Smith, U Eiholzer, M Zachmann, W P Robinson* 957

Cytogenetic and molecular findings in patients with Turner's syndrome stigmata *T Kuznetzova, A Baranov, N Schwed, T Ivaschenko, P Malet, M Giollant, G A Savitsky, V Baranov* 962
Further delineation of the partial proximal trisomy 10q syndrome *C M Aalfs, J M N Hoovers, M A Nieste-Otter, M M A M Mannens, R C M Hennekam, N J Leschot* 968
The Irish cystic fibrosis database *S M Cashman, A Patino, M G Delgado, L Byrne, B Denham, M De Arce* 972
Phenylketonuria in a low incidence population: molecular characterisation of mutations in Finland *P Guldberg, K F Henriksen, I Sipilä, F Güttler, A de la Chapelle* 976
Four mutations in the porphobilinogen deaminase gene in patients with acute intermittent porphyria *G Lundin, J Hashemi, V Floderus, S Thunell, E Sagen, A Lægreid, W Wassif, T Peters, M Anvret* 979

Brief papers
A large multisite cancer family is linked to BRCA2 *P Tonin, P Ghadirian, C Phelan, G M Lenoir, H T Lynch, F Letendre, D Belanger, M Monté, S A Narod* 982
Familial café au lait spots: a variant of neurofibromatosis type 1 *D Abeliovich, Z Gelman-Kohan, S Silverstein, I Lerer, J Chemke, S Merin, J Zlotogora* 985
Partial disomy of Xp and the presence of SRY in a phenotypic female *S Bajalica, E Blennow, A Tsezou, A Galla-Voumvouraki, M Alevizaki, C Sinaniotis, S Kitsiou-Tzeli* 987
Prenatal detection of short arm deletion and isochromosome 18 formation investigated by molecular techniques *M B Qumsiyeh, A Tomasi, M Taslimi* 991

Short report
Del(3)(p25.3) without phenotypic effect *L A Knight, M H Yong, M Tan, I S L Ng* 994

Abstracts
Medical genetics: advances in brief 996

Letters to the Editor
Leukaemia and Sellafield: is there a heritable link? *G M Taylor* 997
Reply *E J Tawn* 997
Severe intrauterine growth retardation with increased mitomycin C sensitivity, or Nijmegen breakage syndrome? *V M Der Kaloustian, A M Elliott, P Eydoux* 998

Book reviews 998

Index 1001